COMMUNICATION S

Federal Communications Commission

Approved by OMB 3060-0999 See instructions for public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2016 - December 31, 2016 Filing Confirmation Number: 0007597319

Filing Deadline: March 23, 2017 FRN: 0009421140

Filing Date: 12/21/2016 05:24 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Belmont Telecom, Inc.
Brand Names: OneSimCard.com

PO Box: 481

Street Address:

City: Belmont
State: MA
Zip Code: 02478

Contact Name: Alex Filippov Contact Phone: (617) 489-5986

Contact Fax:

Contact Email: fcc@belmontel.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)? Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Yes

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: http://www.onesimcard.com/hac/

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: OneSimCard Support offers the web page describing functionality of HAC compatible phones. Customer service is trained to provide help to customers.

Methodology for Functionality Levels

We relied on the results of an Equipment Authorization search on the website of the Office of Engineering and Technology, using the handset's FCC ID number(s). In the event of multiple ID numbers the lowest ratings were reported.

Report Remarks

You have reported the following handset model summary information.

Total number of handsets offered: 16

Air Interface	Fully Hearing Aid Compatible Number Percent		Acoustic Coupling Compatible Only Number Percent	Non-Compliant Handsets Number Percent		Total by Air Interface
GSM	11	69%		5	31%	16
WCDMA	10	77%		3	23%	13

You have reported the following handset model summary information.

Total number of handsets offered: 16

Air Interface	Fully Hearing Aid Compatible Number Percent			Acoustic Coupling Compatible Only Number Percent	Han	mpliant dsets Percent	Total by Air Interface
LTE		2	100%				2
Wi-Fi		8	80%		2	20%	10

Handset 1: Alcatel 1017G

Handset Maker

Alcatel

Handset Model Name FCC ID

1017G 2ACCJB012

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 05/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Not compatible with HA

Remarks

Handset 2: Alcatel Evolve 2

Handset Maker

Alcatel

Handset Model Name FCC ID
Evolve 2 RAD483

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA 900 MHz GSM 1700 MHz WCDMA 1800 MHz GSM 1900 MHz GSM 1900 MHz WCDMA 2100 MHz WCDMA 2.4 GHz Wi-Fi

Dates

This handset model was offered from: 12/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Fully compatible

Remarks

Handset 3: Alcatel Sparq II

Handset Maker

Alcatel

Handset Model Name FCC ID

Sparq II RAD296

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 06/16 to 12/16

M-Rating: M3 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Fully compatible with HA

Remarks

Handset 4: Apple 5c

Handset Maker

Apple

Handset Model Name FCC ID

5c BCG-E2644A

Air Interfaces/Frequency Bands

700 MHz LTE

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2100 MHz LTE

Dates

This handset model was offered from: 01/16 to 12/16

M-Rating: M3 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Fully HA compatible

Remarks

Handset 5: Apple iPhone 5

Handset Maker

Apple

Handset Model Name FCC ID

iPhone 5 BCG-E2599A

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

850 MHz LTE

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2100 MHz LTE

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

M-Rating: M4 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Very HA compatible

Remarks

Handset 6: BLU Z3

Handset Maker

BLU

Handset Model Name FCC ID

Z3 YHLBLUZ3

Air Interfaces/Frequency Bands

850 MHz GSM

 $900~\mathrm{MHz}~\mathrm{GSM}$

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 11/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Not compatible with HA

Remarks

Handset 7: Huawei U688

Handset Maker

Huawei

Handset Model Name FCC ID

U688 2ADOBU688

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 03/16 to 08/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Not compatible with HA

Remarks

Handset 8: LG L5

Handset Maker

LG

Handset Model Name FCC ID

L5 ZNFE450F

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

900 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

2100 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 02/16 to 04/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Not compatible with HA

Remarks

Handset 9: LG Optimus L9

Handset Maker

LG

Handset Model Name FCC ID

Optimus L9 ZNFP769

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 06/16

M-Rating: M3 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Fully HA compatible

Remarks

Handset 10: Motorola MB511

Handset Maker

Motorola

Handset Model Name FCC ID

MB511 IHDT56LD1

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

900 MHz WCDMA

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Fully HA Compatible

Remarks

Handset 11: Motorola MOTO E XT1023

Handset Maker

Motorola

Handset Model Name FCC ID

MOTO E XT1023 IHDT56PJ3

Air Interfaces/Frequency Bands

850 MHz GSM 850 MHz WCDMA 900 MHz GSM 900 MHz WCDMA 1800 MHz GSM 1900 MHz GSM 1900 MHz WCDMA 2100 MHz WCDMA

Dates

This handset model was offered from: 03/16 to 12/16

Ratings

M-Rating: M3

2.4 GHz Wi-Fi

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Fully compatible

Remarks

Handset 12: Motorola V3

Handset Maker

Motorola

Handset Model Name FCC ID

V3 IHDT56EU1, IHDT56EU2, IHDT56EU3, IHDT56GN1, IHDT56HJ1

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Fully compatible with HA

Remarks

Handset 13: Pantech Pocket

Handset Maker

Pantech

Handset Model Name FCC ID

Pocket JYCP9060

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

Dates

This handset model was offered from: 01/16 to 12/16

M-Rating: M4 T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Very HA compatible

Remarks

Handset 14: Samsung GALAXY J1 ACE

Handset Maker

Samsung

Handset Model Name FCC ID

GALAXY J1 ACE A3LSMJ105M

Air Interfaces/Frequency Bands

850 MHz GSM

900 MHz GSM

900 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

2100 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Not compatible with HA

Remarks

Handset 15: Sharp FX ADS1

Handset Maker

Sharp

Handset Model Name FCC ID

FX ADS1 APYNAR0074

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

2100 MHz WCDMA

2.4 GHz Wi-Fi

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

Fully compatible with HA

Remarks

Handset 16: Verykool s758

Handset Maker

Verykool

Handset Model Name FCC ID

s758 WA6S758

Air Interfaces/Frequency Bands

850 MHz GSM

850 MHz WCDMA

900 MHz GSM

1700 MHz WCDMA

1800 MHz GSM

1900 MHz GSM

1900 MHz WCDMA

Dates

This handset model was offered from: 01/16 to 12/16

Ratings

M-Rating: M3

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? Y

Functionality Level

HA Compatible

Remarks

Certification

This Report has been certified by:

Alex Filippov CEO 12/21/2016 05:24 PM